P&H CASTERS

POLY U

Casters | Wheels



RETAIL
Products Guide

www.phcasters.com | 800 354 8622

We Are P&H



P&H Caster's product line covers a wide range of industries and applications. Our sales team can help you find the best products for your requirements.

Since 1969, P&H Casters has been an industry leader in providing its customers with high quality wheels and casters at an outstanding value. Our special focus and area of expertise has been in developing products for the retail industry that will reliably meet the challenges of large and small retailers in their stores, backroom and storage areas, loading docks, bakeries, garden centers and automotive centers and every area of their facilities and operations.

P&H is dedicated to being a leader in their industry. We strive to be the first to develop mobility solutions to address our customer's challenges of today and envision the solutions to their challenges of tomorrow.

We stand apart from our competition because of our ongoing dedication to innovative development of new products. Combined with our committment to the continuous improvement of our existing product line, we proudly refer to these values as

the P&H difference!

P&H CASTERS

POLY U

At P&H, we do more than just manufacture products---
we create solutions.

Contents

Bakery

Baked Goods Display Racks 4
Enclosed Cabinets 5
Oven Racks 6
Pan Racks 8
Pan & Tray Storage Carts 9

Meat & Produce

Chicken Dolly & Wet Mover 10
Cooler Carts 11
Lug Carts 12
Platter Carts 13
Wet Produce Carts 14
Expandable Stem Casters 16
Plate Swivel Casters 17

Storage & Transport

Can Racks 18
Flat Carts 19
Lumber Carts 20
Nesting Flat Cart 21
Platform Truck 22
Queen Mary 23
Uboat 24
Utility & Stocking Carts 25
Shopping Carts 26
Hardware 28

Casters 29
Wheels 32


The P&H Retail wheel and caster selection guide was designed as a resource for our retail customers.

The replacement parts contained in the catalogue are found on the most popular carts and racks currently used by grocery stores, big box stores, home improvement stores, discount stores and other types of retail operations.

P&H's manufactures a wide variety of wheels and casters geared to the retail industry. Contact your P&H sales representative or P&H customer service to explore your specific requirements for your operations.

Manufacturer Key

- BX Baxter
- CH Channel
- CO Cotterman
- KM Kelmax
- LW Lockwood
- ME M&E Manufacturing
- MG Magna
- NA New Age
- NC National Cart
- WH Winholt



Bakery





P&H supplies wheels and casters for a wide variety of retail location carts and racks to OEMs, repair and maintenance companies and suppliers. Shown here are representative bakery racks from several national suppliers. P&H parts will fit most models of racks and carts without modification.



CASTERS

	**Z20X254CGDE:** (CAS655-LC-CERT) Light/Medium duty caster with zinc plated lacquer dipped steel yoke. .846" stem mount with expandable stem sleeve. Wheel: WC2054LD. Fits: (KM,)
	**Z20F254CLDE:** (CAS652-LC-CERT) Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 7/16" X 1 3/4" stem mount. Wheel: WC2054LD Fits: (NA,)
	**Z20P254CLDE: (**CAS618-LC) Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" swivel plate mount. Wheel: WC2054LD Fits: (WH,)
	**Z20S254CLDE**:(CAS617-LC) Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke. .846" stem mount with 5/16" hole. Wheel: WC2054LD Fits: (NC, WH)

WHEELS



Baked Goods Display Racks

Enclosed cabinets can be are used both in stores and in the shipping of product from source to store, and come in a variety of models designed with doors that provide visibility of baked goods or with solid doors for protective storage.

P&H standard and heavy duty plate casters are designed to fit a wide range of cabinet models and sizes.

Four swivel plate casters with polyurethane wheels guarantee a soft ride to protect delicate baked goods. Replacement parts are shown for both standard and heavy duty cabinet models.



STANDARD

	**Z26P154CLDE**: (CAS874-LCT) Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8" X 3 5/8" plate mount. Wheel: WC2054LD. Fits: (KM,)
	**Z20P254CLDE:** (CAS618-LC) Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Wheel: WC2054LD Fits: (WH,)
	WC2054LD: (W-327-ASLC) 5" X 1 1/4" Light/Medium duty wheel. Blue on Tan TPU A98 Crown tread on Polypropylene hub with 5/16" dual precision bearing. Fits:

HEAVY

	**Z40P382CLPL**: (CAS858-5) Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4" X 4 1/2" plate mount. Wheel: WC4052LP Fits: (KM, NA, WH, NC)
	**Z42P352CLPL**: (CAS859-5) Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4" x 4 1/2" plate mount. Wheel: WC4052LP Fits: (KM, NA, WH, NC)
	**WC4052LP:** (W-853-5) 5" X 2" Blue on Tan Medium/Heavy duty wheel . TPU A98 crown tread on Polypropelene hub. 1/2" ball bearing. Fits: (NC, NA, WH, KM)



Enclosed Cabinets

Bakery





Z42P3521NPKF
Light/medium duty rigid plate caster. 4 x 4 1/2" plate mount.
Wheel: W12043ND

The P&H line of High Temperature wheels are designed to withstand temperatures ranging from -20° F up to 550° F, so they can go directly from the freezer to the oven. Made from shock and impact resistant epoxy resin or durable phenolic materials, these wheels are unaffected by most chemicals, water or steam --- making them the perfect choice for in-store bakeries and food service operations.

These durable medium duty wheels provide excellent non-marking floor protection.

Epoxy wheels feature standard dual precison bearings, while the Phenolic wheels are manufactured with plain bore bearings.

The P&H entire line of zinc plated steel and stainless steel casters are designed to fit a wide range of equipment from a variety of manufacturers and are available in 4", 5" and 6" diameters.

EPOXY - PREMIUM



W12043NG (W-3111-P)
4" X 1 1/2" Green high temperature Epoxy resin light/medium duty wheel. 5/16" QuadX-dualprecision bearing. Also available wtih a stainless steel bearing: Fits: (WH, NA,)



Z20P2431NGD: (CAS507-ZP)
LIght/medium duty lacquer dipped zinc plated steel swivel yoke with 4" plate mount. Dual Precision bearing.
Wheel: W12043ND
Fits:



T20P244HNDF (CAS507-SP)
Light/medium duty caster with stainless steel yoke, 3 1/8" X 4 1/8" swivel plate mount.
Wheel: W12043ND
Fits: (WH, NA, KM)

PHENOLIC - ECONOMY



WH2043BC (4") | WL4052BZ (5")
4" X 1 1/2" Black Phenolic light/medium duty flat tread high temperature wheel with 5/16" plain bearing. WL4052BZ is 5" diameter wheel.
Fits: (KM, WH, NC,)



Z20P244HBCD (CAS507-Z)
Light/medium duty caster with zinc plated, lacquer dipped yoke, 3 1/8" X 4 1/8" plate mount.
Wheel: WH2043BC/WL4052BZ
Fits: (KM, WH, NC)

Oven Racks



CASTERS



Z20P2432NUDF
Light/medium duty caster with zinc plated, lacquer dipped yoke, 3 1/8" X 4 1/8" swivel plate mount. Dual precision bearing.
Wheel: W22043NUB Fits: (KM, NA, WH,)



T20P244HNDF (CAS507-SP)
Light/medium duty casters with stainless steel yoke, 3 1/8" X 4 1/8" swivel plate mount. Dual precision bearing. Stainless steel axle and nut.
Wheel: W22043NUB. Fits:



T20P2432NUFF
Light/medium duty caster with stainless steel yoke, 3 1/8" X 4 1/8" swivel plate mount. Dual precision bearing. Stainless steel axle and nut.
Wheel: W22043N2Q. Fits:

WHEELS



W22043NUB (W-3112-ZP)
4" x 1 1/2" Green soft silicone light/medium duty, high temperature wheel. 1/2" dual precision bearing and 5/16" stainless steel 304 top hat bushings.
Fits:



W22043N2Q (W-3112-ZP)
4" x 1 1/2" Green soft silicone light/medium duty, high temperature wheel. 1/2" dual precision bearing and 5/16" stainless steel 304 top hat bushings.
Fits:



Oven Racks

Bakery





- *Standard*
- *Nesting*
- *Z-Frame*
- *Channel*

HEAVY DUTY

CASTERS



Z40P382CLPL: (CAS858-5)
Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount. Wheel:
Fits: (KM, NA, WH, NC)



Z42P352CLPL: (CAS859-5)
Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount.
Wheel: WC4052LP

WHEELS



WC4052LP: (W-853-5)
5” X 2” Blue on Tan Medium/Heavy duty wheel . TPU
A98 crown tread on Polypropylene hub. 1/2” ball bearing.



WC4062LP (W-853-6)
6”X 2” Blue on Tan Medium/Heavy duty wheel. TPU A98 crown tread on polypropylene hub. 1/2” ball bearing.

CASTERS



Z20S254CLDE:(CAS617-LC)
Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke. .846” stem mount with 5/16” hole.
Wheel: WC2054LD
Fits: (NC, WH)



Z20X254CGDE: (CAS655-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. .846” stem mount with expandable stem sleeve.
Wheel: WC2054LD.
Fits: (KM,)



Z20F254CLDE: (CAS652-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 7/16” X 1 3/4” stem mount.
Wheel: WC2054LD
Fits: (NA,)



Z20S154CLDE: (CAS621-LC)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 0.74 “ square stem mount. Dual precision bearing.
Wheel: WC2054LD
Fits: (NA,)

WHEELS



WC2054LD: (W-327-ASLC)

5” X 1 1/4” Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” dual precision bearing.
Fits: (NC, NA, WH, KM, ME, CH, LW)

Pan Racks



CASTERS



Z26P154CLDE: (CAS874-LCT)
Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8" X 3 5/8" plate mount.
Wheel: WC2054LD.
Fits: (KM,)



Z20P254CLDE: (CAS618-LC)
Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount.
Wheel: WC2054LD
Fits: (WH,)



Z20P244CLGE: (CAS649)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" swivel plate mount. 5/16" precision QuadX bearing.
Wheel: WC2044LG
Fits: (WH,)

WHEELS



WC2054LD: (W-327-ASLC)

5" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" dual precision bearing.
Fits: (NC, NA, WH, KM, ME, CH, LW)



WC2044LG: (W-326-ASLC)
4" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" precision QuadX bearing.
Fits: (NC, NA, WH, KM, ME, CH, LW



Pan and Tray Storage Cart



The chicken dolly/wet mover is used for transporting iced seafood and other products that need to be kept cold. A sheet pan slides under the dolly surface to catch water from melting ice.



Fitted with 4 X 5" polyurethane swivel plate or stem casters for easy maneuverability in tight spaces, these dollies have load capacities up to 500 lbs.

The expanding adapter stem will fit most round or square tubing.



Chicken Dolly/ Wet Mover

CASTERS



Z20X254CGDE: (CAS655-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. .846" stem mount with expandable stem sleeve.
Wheel: WC2054LD.
Fits: (KM,)



Z20F254CLDE: (CAS652-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 7/16" X 1 3/4" stem mount.
Wheel: WC2054LD
Fits: (NA,)



Z20P254CLDE: (CAS618-LC)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount.
Wheel: WC2054LD
Fits: (WH,)



Z20S254CLDE:(CAS617-LC)
Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke. .846" stem mount with 5/16" hole.
Wheel: WC2054LD
Fits: (NC, WH)

WHEELS



WC2054LD: (W-327-ASLC)

5" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" dual precision bearing.
Fits: (NA, KM, WH, NC)

Ideal for storage and transport of meat and other food products.

These racks often feature 2 casters with top brakes on opposite corners. This arrangement helps to provide maximum stability and enhance safety during loading and unloading.







CASTERS

	**Z40P382CLPL**: (CAS858-5) Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount. Wheel: WC4052LP Fits: (KM, NA, WH, NC)
	**Z42P352CLPL:** (CAS859-5) Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount. Wheel: WC4052LP Fits: (KM, NA, WH, NC)

WHEELS

	**WC4062LP** (W-853-6) 6”X 2” Blue on Tan Medium/Heavy duty wheel. TPU A98 crown tread on polypropylene hub. 1/2” ball bearing. Fits: (WH, NC, KM)

Cooler Carts

Meat/Produce







Lug carts are used to transport and store a wide variety of food and products, and are found in service in the meat, produce and deli departments. These bulk movers are fitted with 5” polyurethane swivel stem casters for smooth mobility and will typically hold up to 500 lbs.



Lug Carts

CASTERS



Z20X254CGDE: (CAS655-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. .846” stem mount with expandable stem sleeve.
Wheel: WC2054LD.
Fits: (KM)



Z20F254CLDE: (CAS652-LC-CERT)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 7/16” X 1 3/4” stem mount.
Wheel: WC2054LD
Fits: (NA,)



Z20S254CLDE:(CAS617-LC)
Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke. .846” stem mount with 5/16” hole.
Wheel: WC2054LD
Fits: (NC, WH)

WHEELS



WC2054LD: (W-327-ASLC)

5” X 1 1/4” Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” dual precision bearing.
Fits:







CASTERS



X20S254CLDE:(CAS617-LC)
Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke.
.846" stem mount with 5/16" hole.
Wheel: WC2054LD
Fits: (NC, WH, KM)



Z26P154CLDE: (CAS874-LCT)
Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8" X 3 5/8" plate mount.
Wheel: WC2054LD.
Fits: (NA)

WHEELS



WC2054LD: (W-327-ASLC)

5" X 1 1/4" Light/Medium duty wheel. Blue on Tan TPU A98 crown tread on polypropylene hub with 5/16" dual precision bearing.
Fits:

Aluminum platter carts are an efficient way to transport products from the meat room to the sales floor.

These carts come in a variety of models to fit different sizes of meat platters. Many are suitable for storage of steam table pans, meat trays, or bun pans.

P&H's standard 5" polyurethane crown tread wheels in a square swivel stem or swivel plate caster will fit most models of platter carts.

Platter Carts

Meat/Produce





STANDARD

The ideal cart to transport wet items such as produce, flowers, or any other products that may leak.

The pans are designed to capture moisture and reduce slip and fall accidents while efficiently transporting products.



Wet Produce Carts

CASTERS



Z26P154CLDE: (CAS874-LCT)
Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8" X 3 5/8" plate mount.
Wheel: WC2054LD.
Fits: (NA)



Z22P254CLDE: (CAS647-LC-CERT)
Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Dual precision bearing. 5/16" axle.
Wheel: WC2054LD Fits: (NA, WH, KM,)



Z20P254CLDE: (CAS618-LC)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount.
Wheel: WC2054LD
Fits: (WH,)



Z22P254CLDEK: (CAS648-LC-CERT)
Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke.3 1/8" X 4 1/8" plate mount. Dual precision bearing, 5/16" axle and 90 degree mount.
Wheel: WC2054LD Fits: (NA,WH, NC,)

WHEELS



WC2054LD: (W-327-ASLC)
5" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" dual precision bearing.

Fits: (NA, KM, WH,)





HEAVY DUTY

CASTERS



Z42P352CLPL: (CAS859-5)
Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (KM, NA, WH, NC)



Z40P382CLPL: (CAS858-5)
Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (KM, NA, WH, NC)

WHEELS



WC4062LP (W-853-6)
6”X 2” Blue on Tan Medium/Heavy duty wheel.
TPU A98 crown tread on polypropylene hub.
1/2” ball bearing.
Fits: (WH, NC, KM)

Wet produce utility carts are ideal for moving wet produce, dairy and meat departement products, as well as nursery products and any other products that are wet or can potentially drip.

Depending on load capacity, these carts typically use 2 x 5” swivel plate casters and 2 x 5” rigid plate casters. Polyurethane wheels in either light/medium or medium/heavy duty provide a smooth, easy rolling ride for products.

NSF certification is important for equipment being used in food service operations. The NSF mark is evidence of P&H’s company-wide commitment to quality, compliance and safety.

Wet Produce Carts

Expandable Stem Casters

Round and square stem casters expand easily to fit a variety of equipment with the addition of the P&H heavy duty sleeve.

These casters are available in a wide range of materials, and have optional side and top lock brake kits.




Side Brake


Top Lock Brake









Description	Wheel Diameter	Load Height	Black Polyurethane	Gray Polyurethane	Blue Polyurethane	Gray TPE
1” diameter round or square tubing	5”	6”	Z20X254CBCE*		Z20X354CLDE*	
1 1/4” diameter round or square tubing	5”	6”	Z20X354CBCE*			
1 1/2” diameter round or square tubing	5”	6”	Z20X554CBCE*			
1 5/8” diameter round or square tubing	5”	6”	Z20X654CBCE*	Z20X654GCTKE*	Z20X654CLDE*	
2” diameter round or square tubing	5”	6”	Z20X854CBCE*		Z20XT54CLDE*	



Plastic Expandable Swivel Stem Caster
Product No. P25C154CGGN

Plastic yoke resists corrosion for stainless applications.
Expandable stem for this caster is available in all sizes.

Food Service CASTERS



Plate Swivel Casters

Weight Capacity	Wheel Diameter	Load Height	Black Polyolefin	Blue Polyurethane	Gray Polyurethane	Gray TPE
150 lbs.	3”	4”	Z20P134ABCE*	Z20P134ABCE*		
200 lbs.	5”	5”		Z20P144CGDE*	Z20P144CGDE*	
250 lbs.	5”	6”	Z20P154CLDE*	Z20P154CLDE*		Z20P144NTGE*



Plastic Plate Swivel Caster
Product No. CAS901-5S

- Plastic yoke resists corrosion for stainless applications
- 250 lb load capacity
- 6.3” load height
- 2 3/8” X 3 5/8” plate size

Swivel plate casters are available in several different mounting plate and wheel size options.



Side Brake







	MKPR5BUG	MKPD2BRG	MKPC3UG	MKP3CUB
Rotational bumper for 1/2” stem	Rotational bumper for 7/16” stem	Donut bumper	Gray corner bumper	Black corner bumper



Top Lock Brake

Casters can be fitted with optional side or top lock brakes.

Storage and Transport





Commercial can racks make the most of backroom storage areas. The units are typically equipped with at least 1 swivel plate caster that has been fitted with a side or top brake to hold heavily loaded racks safely in place.



Can Racks

CASTERS

	**Z20P254CLDE: (**CAS618-LC) Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Wheel: WC2054LD Fits: (WH,)
	**Z20P254CLPEB**: (CAS618-LCBK-CERT) Light/medium duty caster with zinc plated, lacquer dipped steel yoke. 3 1/8" X 4 1/8" swivel mount. Dual precision bearing, 5/16" axle, nut and side brake. Wheel: WC2054LD Fits: (WH, NA, KM)
	**Z26P154CLDEB**: (CAS874-LCT-BK-CERT) Industrial swivel caster wtih zinc plated, lacquer dipped yoke, 2 3/8" X 3 5/8" mount. Dual precision bearing, 5/16" axle, nut and side brake. Wheel: WC2054LD Fits: (WH, NA, KM,)
	**Z22P254CLDE**: (CAS647-LC-CERT) Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Dual precision bearing. 5/16" axle. Wheel: WC2054LD Fits: (NA, WH, KM,)
	**Z22P254CLDEK**: (CAS648-LC-CERT) Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke.3 1/8" X 4 1/8" plate mount. Dual precision bearing, 5/16" axle and 90 degree mount. Wheel: WC2054LD Fits: (NA, KM)

WHEELS

	**WC2054LD**: (W-327-ASLC) 5" X 1 1/4" Light/Medium duty wheel. Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" dual precision bearing. Fits: (NA, KM, WH,)

6 Wheel Aluminum Flat Cart



CASTERS



Z42P352CLPL: (CAS859-5)
Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” X 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (KM, NA, WH, NC)



Z20P254CLDE: (CAS618-LC)
Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8” X 4 1/8” plate mount.
Wheel: WC2054LD
Fits: (WH,)

WHEELS



WC2054LD: (W-327-ASLC)
5” X 1 1/4” Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” dual precision bearing.

Fits: (NA, KM, WH,)



WC4052LP: (W-853-5)
5” X 2” Blue on Tan Medium/Heavy duty wheel TPU A98 crown tread on Polypropylene hub.
1/2” ball bearing.
Fits: (NA, KM, CH, WH)

Flat carts come in both light/medium and heavy duty models intended to haul different types of loads. These carts are equipped with either 4 or 6 rigid and swivel plate casters



CASTERS



Z40P382CLPL: (CAS858-8-CERT)
Medium/heavy duty caster with zinc plated, lacquer dipped yoke. 4” X 4 1/2” swivel plate mount. 1/2” Quad X precision bearing and 1/2” axle. Wheel: WC4082LP Fits: ()



Z42P382CLPL: (CAS859-8-CERT)
Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4” X 4 1/2” plate mount, 1/2” Quad X precision bearing and 1/2” axle and nut.
Wheel: WC4082LP Fits: (NA, NC, WH, KM)

WHEELS



WC4082LP: (W-853-8)
8” X 2” Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2” ball bearing.
Fits: (WH, NA, KM, NC)

Flat Carts

Storage and Transport



Used to handle lumber, plywood and sheet rock, the the combination of swivel plate and rigid plate polyurethane casters on these carts allows easy handling and maneuverability when the cart is heavily loaded.



Lumber Carts

CASTERS



Z40P362CLPL: (CAS858-6-CERT)
Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2" mount. 1/2" Quad X precision bearing and 1/2" axle and nut.
Wheel: WC4062LP Fits: (NC)



Z42P382CLPL: (CAS859-8-CERT)
Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4" X 4 1/2" plate mount, 1/2" Quad X precision bearing and 1/2" axle and nut.
Wheel: WC4082LP Fits: (NA, NC, WH, KM)

WHEELS



WC4062LP: (W-853-6)
6" X 2" Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (NC)



WC4082LP: (W-853-8)
8" X 2" Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (WH, NA, KM, NC)





STANDARD



Z40P362CLPL: (CAS858-6-CERT)
Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2" mount. 1/2" Quad X precision bearing and 1/2" axle and nut.
Wheel: WC4062LP Fits: (NC)



Z42P362CLPL: (CAS859-6)
Medium/heavy duty rigid caster. Zinc plated steel with lacquer dipped yoke. 4" X 4 1/2" plate mount. 1/2" Quad X precision bearing and 1/2" axle and nut.
Wheel: WC4062LP Fits: (NC)



WC4062LP: (W-853-6)
6" X 2" Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (NC)

HEAVY DUTY



Z40P382CLPL: (CAS858-8-CERT)
Medium/heavy duty caster with zinc plated, lacquer dipped yoke. 4" X 4 1/2" swivel plate mount. 1/2" Quad X precision bearing and 1/2" axle.
Wheel: WC 4082LP Fits:



Z42P382CLPL: (CAS859-8-CERT)
Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4" X 4 1/2" plate mount, 1/2" Quad X precision bearing and 1/2" axle and nut.
Wheel: WC4082LP Fits: (NA, NC, WH, KM)



WC4082LP: (W-853-8)
8" X 2" Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (WH, NA, KM, NC)

P&H Casters offers a complete line of light duty, medium duty, medium-heavy duty and heavy duty casters in many different sizes and load capacities to address the needs of almost any material handling requirement.

Finish options include zinc plated steel and stainless steel and chrome plated steel.

We also offer several models of Dacromet, nylon filled plastic casters for wet or corrosive environments.



Nesting Flat Cart

CASTERS



Z40P382CLPL: (CAS858-5)
Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4” x 4 1/2” plate mount.
Wheel: WC4052LP)
Fits: (NA, NC, KM, WH)



Z42P352CLPL: (CAS859-5)
Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” x 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (NA, NC, KM, WH)



Z40P362CLPL: (CAS858-6-CERT)
Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2” mount.
1/2” Quad X precision bearing and 1/2” axle and nut.
Wheel: WC4062LP Fits: (NC)



Z42P362CLPL: (CAS859-6)
Medium/heavy duty rigid caster. Zinc plated steel with lacquer dipped yoke. 4” X 4 1/2” plate mount.
1/2” Quad X precision bearing and 1/2” axle and nut.
Wheel: WC4062LP Fits: (NC)



Z40P382CLPL: (CAS858-8-CERT)
Medium/heavy duty caster with zinc plated, lacquer dipped yoke. 4” X 4 1/2” swivel plate mount. 1/2” Quad X precision bearing and 1/2” axle.
Wheel: WC4082LP Fits: ()



Z42P382CLPL: (CAS859-8-CERT)
Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4” X 4 1/2” plate mount, 1/2” Quad X precision bearing and 1/2” axle and nut.
Wheel: WC4082LP Fits: (NA, NC, WH, KM)

P&H has material handling casters that will fit a wide variety of manufacturer’s material handling trucks for route distributors, salespeople and warehousing.

Polyurethane wheels in sizes from 4” up to 8” accommodate a range of platform models.

WHEELS



WC4052LP: (W-853-5)
5” X 2” Blue on Tan Medium/ Heavy duty wheel TPU A98 crown tread on Polypropylene hub. 1/2” ball bearing.
Fits: (NA, KM, CH, WH)



WC4062LP: (W-853-6)
6” X 2” Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2” ball bearing.
Fits: (NC)



WC4082LP: (W-853-8)
8” X 2” Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2” ball bearing.
Fits: (WH, NA, KM, NC)



Bolt on swivel and rigid plate casters in standard mount sizes make caster selection for hand trucks simple. P&H wheels feature QuadX® or dual precision bearings to make handling a breeze!



Platform Truck





CASTERS



Z40P382CLPL: (CAS858-8-CERT)
Medium/heavy duty caster with zinc plated, lacquer dipped yoke. 4” X 4 1/2” swivel plate mount. 1/2” Quad X precision bearing and 1/2” axle.
Fits: ()



Z42P382CLPL: (CAS859-8-CERT)
Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4” X 4 1/2” plate mount, 1/2” Quad X precision bearing and 1/2” axle and nut.
Fits: (NA, NC, WH, KM)

WHEELS



WC4082LP: (W-853-8)
8” X 2” Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2” ball bearing.
Fits: (WH, NA, KM, NC)

Queen Mary’s are the workhorses of food service operations. These versatile transport trucks are ideal for transport of dishes, serving ware, trays, or just about anything that needs moving for food service.

Queen Mary carts are fitted with a combination of rigid and swivel plate casters depending on the manufacturer.

Polyurethane wheels allow for smooth, easy rolling of heavily loaded carts.

Queen Mary

Storage and Transport



STANDARD



Z20P244CLGE: (CAS649)
Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" swivel plate mount. 5/16" precision QuadX bearing.
Wheel: WC2044LG
Fits: (WH,)



Z26P154CLDE: (CAS874-LCT)
Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8" X 3 5/8" plate mount.
Wheel: WC2054LD.
Fits: (NA)



WC4082LP: (W-853-8)
8" X 2" Blue on tan TPU A98 crown tread medium/ heavy duty wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (WH, NA, KM, NC)



WC2044LG: (W-326-ASLC)
4" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" precision QuadX bearing.
Fits: (NC, NA, WH, KM, ME, CH, LW



WC2054LD: (W-327-ASLC)
5" X 1 1/4" Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16" dual precision bearing.

Fits: (NA, KM, WH,)



HEAVY DUTY



Z40P362CLPL: (CAS858-6-CERT)
Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2" mount. 1/2" Quad X precision bearing and 1/2" axle and nut.
Fits: (NC)



Z20P254CLDE: (CAS618-LC)
Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount.
Wheel: WC2054LD
Fits: (WH,)



WC4062LP: (W-853-6)
6" X 2" Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2" ball bearing.
Fits: (NC)

U-Boat

HEAVY DUTY



Z40P382CLPL: (CAS858-5)
Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4” x 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (NA, KM, NC)



Z42P362CLPL: (CAS859-6)
Medium/heavy duty rigid caster. Zinc plated steel with lacquer dipped yoke. 4” X 4 1/2” plate mount. 1/2” Quad X precision bearing and 1/2” axle and nut.
Wheel: WC4062LP Fits: (NC)



Z40P362CLPL: (CAS858-6-CERT)
Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2” mount. 1/2” Quad X precision bearing and 1/2” axle and nut.
Fits: (NC)



WC4052LP: (W-853-5)
5” X 2” Blue on Tan Medium/Heavy duty wheel TPU A98 crown tread on Polypropylene hub. 1/2” ball bearing.
Fits: (NA, KM, CH, WH)



Z42P352CLPL: (CAS859-5)
Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” x 4 1/2” plate mount.
Wheel: WC4052LP
Fits: (NA, NC, KM, WH)



WC4062LP: (W-853-6)
6” X 2” Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2” ball bearing.
Fits: (NC)

STANDARD



Z20P254CLDE: (CAS618-LC)
Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8” X 4 1/8” plate mount.
Wheel: WC2054LD
Fits: (WH,



Z22P254CLDE: (CAS647-LC-CERT)
Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke. 3 1/8” X 4 1/8” plate mount. Dual precision bearing. 5/16” axle.
Wheel: WC2054LD Fits: (NA, WH, KM,)



Z26P154CLDE: (CAS874-LCT)
Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8” x 3 5/8” plate mount.
Wheel: WC2054LD.
Fits: (KM,)



Z22P254CLDEK: (CAS648-LC-CERT)
Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke.3 1/8” X 4 1/8” plate mount. Dual precision bearing, 5/16” axle and 90 degree mount.
Wheel: WC2054LD Fits: (NA, KM)



WC2054LD: (W-327-ASLC)
5” X 1 1/4” Light/Medium duty wheel.
Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” dual precision bearing.
Fits: (NA, KM, WH,)





Utility/Stocking Cart

Storage and Transport



P&H has been the number one supplier of wheels and casters for shopping carts in the U.S. Our experience with carts from every major U.S. manufacturer is one of the reasons that we can say that we are the experts when it comes to solving the mobility challenges found in the retail industry today.

P&H's standard 5" polyurethane crown tread wheels come in a variety of models targeted toward helping address the specific requirements of your facility's location and its unique physical requirements.

STANDARD

CASTERS



Z30C154CLDE: (CAS615-LC)
Swivel stem caster with zinc plated, lacquer dipped yoke. 1/2" X 13 X 7/8" keyed mount. 5/16" dual precision bearing and 5/16" axle and nut.
Wheel: WC2054LD
Fits: All U.S. manufacturers

WHEELS



WC2054LD: (W-327-ASLC)
5" X 1 1/4" Blue on tan TPU A98 crown tread light/medium duty wheel. Polypropylene hub with 5/16" dual precision bearing.
Fits: All U.S. manufacturers



WC3054LF: (W-817-PF)
5" X 1 1/4" Blue on tan TPU A98 crwon tread light/medium duty wheel. Polpropylene hub with 5/16" QuadX friction bearing.
Fits: All U.S. manufacturers



WC3054LGD: (W-817-PD)
5" X 1 1/4" Blue on tan A98 crown tread light/medium duth wheel. Polpropylene hub with 5/16" QuadX bearing and dissipative.
Fits: All U.S. manufacturers.



P&H has set the standard for wheels and casters for shopping carts to the retail industry since 1969. We are focused on continously improving the shopping experience for our customer's customers.

Shopping Carts



MAZC1E: 5/16" 18 X 2/14" zinc plated axle



MNSC1N
5/16" stainless steel nylon lock nut



MAZA3J: 1/2" axle bolt

The PolyU® Patriot Plus Superwheel is made from a unique natural rubber compound developed by P&H to be extremely abrasion resistant and have a high degree of surface grip.

The tread resists sliding laterally, which allows the rear wheels to rotate as the cart is pushed manually or by cart collection equipment.

These wheels are not only far more resistant to the development of flatspots than standard shopping cart wheels, they also provide a superior ride with exceptional maneuverability.



PREMIUM WHEELS



WI3054JDW

5” x 1 1/4” Blue on gray medium duty soft rubber shopping cart wheel. Flat spot resistant material and increased tension. 5/16” dual precision.

CASTER: Prod. No. Z30T354TJDE
Fits: All U.S. manufacturers



WI3054GDW

5” x 1 1/4” Gray on gray medium duty soft rubber shopping cart wheel. Flat spot resistant material and increased tension. 5/16” dual precision friction bearing.

CASTER: Prod. No. Z30C154IGDEFR



MOUNTING HARDWARE



MAZC1E: 5/16” 18 X 2/14” zinc plated axle



MNSC1N
5/16” stainless steel nylon lock nut



MAZA3J: 1/2” axle bolt

HARDWARE

	Part No.	Description
	**MAZC1E**	5/16” 18 X 2/14” zinc plated axle
	**MAZA3J**	1/2” axle bolt
	**MNSC1N**	5/16” stainless steel nylon lock nut
	**MNZA3N**	1/2” 13 nut with nylon insert



	Part No.	Description
	**Z20P244HNDD**	LIght/medium duty lacquer dipped zinc plated steel swivel yoke with 4” plate mount. Precision bearing. High temperature epoxy resin wheel. Wheel: W12043ND Fits: (WH, NA, KM)
	**T20P244HNDF**	Light/medium duty caster with stainless steel yoke, 3 1/8” X 4 1/8” swivel plate mount. High temperature epoxy resin wheel. Wheel: W12043ND Fits: (WH, NA, KM)
	**WH2043BC (4”)** **WL4052BZ (5”)**	4” X 1 1/2” Black Phenolic light/medium duty flat tread high temperature wheel with 5/16” plain bearing. WL4052BZ is 5” diameter wheel. High temperature phenolic wheel. Fits: (KM, WH, NC,)
	**Z20P2432NUDF**	Light/medium duty caster with zinc plated, lacquer dipped yoke, 3 1/8” X 4 1/8” swivel plate mount. Dual precision bearing. High temperature silicone on aluminum wheel. Wheel: W22043NUB Fits: (KM, NA, WH,)
	**T20P244HNDF**	Light/medium duty casters with stainless steel yoke, 3 1/8” X 4 1/8” swivel plate mount. Dual precision bearing. Stainless steel axle and nut. High temperature silicone on aluminum wheel. Wheel: W22043NUB. Fits: (KM, NA, WH,)
	**T20P2432NUFF**	Light/medium duty caster with stainless steel yoke, 3 1/8” X 4 1/8” swivel plate mount. Dual precision bearing. Stainless steel axle and nut. High temperature silicone on aluminum wheel. Wheel: W22043N2Q. Fits: (KM, NA, WH,)
	**Z30C154CLGE**	Swivel stem caster with zinc plated, lacquer dipped yoke. 1/2” X 13 X 7/8” keyed mount. 5/16” dual precision bearing and 5/16” axle and nut. Wheel: WC2054LD Fits: All U.S. manufacturers
	**Z20S254CLDE**	Light/Medium duty caster wtih zinc plated lacquer dipped steel yoke. .846” stem mount with 5/16” hole. Wheel: WC2054LD Fits: (NC, WH)

CASTERS

	Part No.	Description
	**Z20P254CLDE**	Light/Medium duty rigid caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Wheel: WC2054LD Fits: (WH,)
	**Z20S154CLDE**	Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 0.74 " square stem mount. Dual precision bearing. Wheel: WC2054LD Fits: (NA,)
	**Z22P254CLDE**	Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke. 3 1/8" X 4 1/8" plate mount. Dual precision bearing. 5/16" axle. Wheel: WC2054LD Fits: (NA, WH, KM,)
	**Z22P254CLDEK**	Light/medium duty rigid caster with zinc plated, lacquer dipped steel yoke.3 1/8" X 4 1/8" plate mount. Dual precision bearing, 5/16" axle and 90 degree mount. Wheel: WC2054LD Fits: (NA, KM)
	**Z20P244CLGE**	Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 3 1/8" X 4 1/8" swivel plate mount. 5/16" precision QuadX bearing. Wheel: WC2044LG Fits: (WH,)
	**Z20F254CLDE**	Light/Medium duty caster with zinc plated lacquer dipped steel yoke. 7/16" X 1 3/4" stem mount. Wheel: WC2054LD Fits: (NA,)
	**Z20X254CGDE**	Light/Medium duty caster with zinc plated lacquer dipped steel yoke. .846" stem mount with expandable stem sleeve. Wheel: WC2054LD. Fits: (KM,)
	**Z40P382CLPL**	Medium/Heavy duty caster with zinc plated lacquer dipped steel yoke. 4" x 4 1/2" plate mount. Wheel: WC4052LP) Fits: (NA, NC, KM, WH)

	Part No.	Description
	**Z40P362CLPL**	Medium/heavy duty swivel plate caster with zinc plated, lacquer dipped steel yoke. 4 1/2” mount. 1/2” Quad X precision bearing and 1/2” axle and nut. Wheel: WC4062LP Fits: (NC)
	**Z40P382CLPL**	Medium/heavy duty caster with zinc plated, lacquer dipped yoke. 4” X 4 1/2” swivel plate mount. 1/2” Quad X precision bearing and 1/2” axle. Wheel: WC4082LP Fits: ()
	**Z42P352CLPL**	Medium/Heavy duty rigid caster with zinc plated lacquer dipped steel yoke. 4” x 4 1/2” plate mount. Wheel: WC4052LP Fits: (NA, NC, KM, WH)
	**Z42P362CLPL**	Medium/heavy duty rigid caster. Zinc plated steel with lacquer dipped yoke. 4” X 4 1/2” plate mount. 1/2” Quad X precision bearing and 1/2” axle and nut. Wheel: WC4062LP Fits: (NC)
	**Z42P382CLPL**	Medium/heavy duty rigid caster with zinc plated, lacquer dipped steel yoke. 4” X 4 1/2” plate mount, 1/2” Quad X precision bearing and 1/2” axle and nut. Wheel: WC4082LP Fits: (NA, NC, WH, KM)
	**Z26P154CLDE**	Industrial swivel caster with zinc plated lacquer dipped steel yoke. 2-3/8” x 3 5/8” plate mount. Wheel: WC2054LD. Fits: (KM,)

WHEELS

	Part No.	Description	

Materials Handling

	**WC2044LG**	4” X 1 1/4” Light/Medium duty wheel. Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” precision QuadX bearing. Fits: (NC, NA, WH, KM, ME, CH, LW	
	**WC4052LP**	5” X 2” Blue on Tan Medium/Heavy duty wheel. TPU A98 crown tread on Polypropylene hub. 1/2” ball bearing. Fits: (NA, KM, CH, WH)	
	**WC4062LP**	6” X 2” Blue on tan A98 TPU crown tread wheel. Polypropylene hub and 1/2” ball bearing. Fits: (NC)	
	**WC4082LP**	8” X 2” Blue on tan TPU A98 crown tread medium/heavy duty wheel. Polypropylene hub and 1/2” ball bearing. Fits: (WH, NA, KM, NC)	

High Temperature

	**WH2043BC (4”)** **WL4052BZ (5”)**	4” X 1 1/2” Black Phenolic light/medium duty flat tread high temperature wheel with 5/16” plain bearing. Also available in 5” diameter. Product No. WL4052BZ. Fits: (KM, WH, NC,)	
	**W12043ND**	4” X 1 1/2” Green high temperature Epoxy resin light/medium duty wheel. 5/16” dual precision bearing. Also available wtih a stainless steel bearing: Part No. Fits: (WH, NA,)	
	**W22043NUB**	4” x 1 1/2” Green soft silicone light/medium duty, high temperature wheel. 1/2” dual precision bearing and 5/16” stainless steel 304 top hat bushings. Fits:	

Shopping Cart

	Part No.	Description	
	**WC2054LDA**	5” X 1 1/4” Blue on tan TPU A98 crown tread light/medium duty wheel. Polypropylene hub with 5/16” dual precision stainless steel bearing. Fits: All U.S. manufacturers	
	**WC2054LD**	5” X 1 1/4” Light/Medium duty wheel. Blue on Tan TPU A98 crown tread on Polypropylene hub with 5/16” dual precision bearing. Fits: (NA, KM, WH,)	
	**WC3054LGD**	5” X 1 1/4” Blue on tan A98 crown tread light/medium duty wheel. Polpropylene hub with 5/16” QuadX bearing and dissipative. Fits: All U.S. manufacturers.	
	**WC3054LF**	5” X 1 1/4” Blue on tan TPU A98 crwon tread light/medium duty wheel. Polpropylene hub with 5/16” QuadX friction bearing. Fits: All U.S. manufacturers	
	**WI3054JFWI**	5” x 1 1/4” Blue on gray medium duty soft rubber shopping cart wheel. Flat spot resistant material and increased tension. 5/16” QuadX dual precision friction bearing. 2 year warranty. Fits: All U.S. manufacturers	
	**WT3464GWG**	6” x 1 1/4” Gray on gray medium duty soft rubber shopping cart wheel. Flat spot resistant material and increased tension. 5/16” QuadX dual precision friction bearing. 2 year warranty	

POLY U P&H CASTERS



P&H Casters Company, Inc.
1016 W. Harris Rd.
Arlington, TX 76001
Tel. 817 468 3850
Email: sales@phcasters.com
Web: www.phcasters.com